


| 'L' OVERALL LENGTH | 'B' BASE DIAMETER | WEIGHT IN LBS. |
|--------------------|-------------------|----------------|
| 10'-0" | 21 3/16" | 103 |
| 12'-0" | 21 1/2" | 109 |
| 13'-0" | 21 9/16" | 113 |
| 14'-0" | 21 5/8" | 117 |
| 16'-0" | 21 3/4" | 126 |
| 18'-0" | 21 13/16" | 135 |
| 20'-0" | 21 15/16" | 146 |
| 22'-0" | 22" | 158 |
| 24'-0" | 22" | 170 |



PLAN VIEW

22" COLUMN SPECIFICATIONS:

WALL THICKNESS: .125 (1/8")
 LOAD BEARING CAPACITY: 28,000 LBS (AXIALLY)
 NECK DIAMETER: 18 1/2 INCHES
 TOP (BUILD-UP) DIA: 19 1/4 INCHES

22" DIAMETER COLUMN - TUSCAN

| | | | | | | |
|----------------------|---|--------------|------------------------|-----------------|--|--|
| DESCRIPTION | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | | | CONTRACT NUMBER | | First Class Building Products, Inc. Tel: 888.514.8141 Fax: 770.514.0731 website: www.firstclassbp.com |
| | TOLERANCES | | | ORIGINATOR | DATE | |
| | DECIMAL | ANGULAR | FINISH | T. HARTLEY | 11/11/04 | |
| | .XX ±.1 | ±.5° | ✓ | CHECKER | | |
| .XXX ±.06 | FRACTION | | PROJECT ENGINEER | | TITLE FIBERGLASS COLUMN DETAIL 22" DIAMETER TUSCAN CAP & BASE | |
| .XXX ±.030 | ±1/8" | | MANUFACTURING ENGINEER | | | |
| DO NOT SCALE DRAWING | | | PROGRAM MANAGEMENT | | | |
| SIMILAR TO | | ACT WT | CALC WT | DRAWING NUMBER | | REV |
| N/A | | N/A | N/A | A | | |
| SCALE | | RELEASE DATE | | SHEET 1 OF | | |
| NONE | | | | | | |